



	DADT NI BADED	NO. OF	INCHES						MILLIMETERS					
	PART NUMBER	POS.	A±.008	B±.012	C±.015	D±.010	E±.020	F±.015	A±0.20	B±0.30	C±0.38	D±0.25	E±0.51	F±0.38
	C04DKRS	4	0.300	0.500	0.660	0.975	1.235	0.542	7.62	12.70	16.76	24.77	31.37	13.77
	C05DKRS	5	0.400	0.600	0.760	1.075	1.335	0.642	10.16	15.24	19.30	27.31	33.91	16.31
	C06DKRS	6	0.500	0.700	0.860	1.175	1.435	0.742	12.70	17.78	21.84	29.85	36.45	18.85
	C07DKRS	7	0.600	0.800	0.960	1.275	1.535	0.842	15.24	20.32	24.38	32.39	38.99	21.39
F	C08DKRS	8	0.700	0.900	1.060	1.375	1.635	0.942	17.78	22.86	26.92	34.93	41.53	23.93
	C09DKRS	9	0.800	1.000	1.160	1.475	1.735	1.042	20.32	25.40	29.46	37.47	44.07	26.47
	C10DKRS	10	0.900	1.100	1.260	1.575	1.835	1.142	22.86	27.94	32.00	40.01	46.61	29.01
	C11DKRS	11	1.000	1.200	1.360	1.675	1.935	1.242	25.40	30.48	34.54	42.55	49.15	31.55
	C12DKRS	12	1.100	1.300	1.460	1.775	2.035	1.342	27.94	33.02	37.08	45.09	51.69	34.09
	C13DKRS	13	1.200	1.400	1.560	1.875	2.135	1.442	30.48	35.56	39.62	47.63	54.23	36.63
-	C14DKRS	14	1.300	1.500	1.660	1.975	2.235	1.542	33.02	38.10	42.16	50.17	56.77	39.17
	C15DKRS	15	1.400	1.600	1.760	2.075	2.335	1.642	35.56	40.64	44.70	52.71	59.31	41.71
	C16DKRS	16	1.500	1.700	1.860	2.175	2.435	1.742	38.10	43.18	47.24	55.25	61.85	44.25
	C17DKRS	17	1.600	1.800	1.960	2.275	2.535	1.842	40.64	45.72	49.78	57.79	64.39	46.79
	C18DKRS	18	1.700	1.900	2.060	2.375	2.635	1.942	43.18	48.26	52.32	60.33	66.93	49.33
	C19DKRS	19	1.800	2.000	2.160	2.475	2.735	2.042	45.72	50.80	54.86	62.87	69.47	51.87
Е	C20DKRS	20	1.900	2.100	2.260	2.575	2.835	2.142	48.26	53.34	57.40	65.41	72.01	54.41
	C21DKRS	21	2.000	2.200	2.360	2.675	2.935	2.242	50.80	55.88	59.94	67.95	74.55	56.95
	C22DKRS	22	2.100	2.300	2.460	2.775	3.035	2.342	53.34	58.42	62.48	70.49	77.09	59.49
	C23DKRS	23	2.200	2.400	2.560	2.875	3.135	2.442	55.88	60.96	65.02	73.03	79.63	62.03
	C24DKRS	24 25	2.300	2.500	2.660	2.975	3.235	2.542	58.42	63.50 66.04	67.56	75.57	82.17 84.71	64.57
	C25DKRS C26DKRS	26	2.400 2.500	2.700	2.760 2.860	3.075 3.175	3.435	2.642	60.96 63.50	68.58	70.10 72.64	78.11 80.65	87.25	67.11 69.65
	C20DKRS	27	2.600	2.700	2.860	3.175	3.435	2.742	66.04	71.12	75.18	83.19	89.79	72.19
	C27DKRS	28	2.700	2.900	3.060	3.375	3.635	2.942	68.58	73.66	77.72	85.73	92.33	74.73
	C20DKRS	29	2.800	3.000	3.160	3.475	3.735	3.042	71.12	76.20	80.26	88.27	94.87	77.27
	C30DKRS	30	2.900	3.100	3.260	3.575	3.835	3.142	73.66	78.74	82.80	90.81	97.41	79.81
	C31DKRS	31	3.000	3.200	3.360	3.675	3.935	3.242	76.20	81.28	85.34	93.35	99.95	82.35
	C32DKRS	32	3.100	3.300	3.460	3.775	4.035	3.342	78.74	83.82	87.88	95.89	102.49	84.89
D	C33DKRS	33	3.200	3.400	3.560	3.875	4.135	3.442	81.28	86.36	90.42	98.43	105.03	87.43
	C34DKRS	34	3.300	3.500	3.660	3.975	4.235	3.542	83.82	88.90	92.96	100.97	107.57	89.97
	C35DKRS	35	3.400	3.600	3.760	4.075	4.335	3.642	86.36	91.44	95.50	103.51	110.11	92.51
	C36DKRS	36	3.500	3.700	3.860	4.175	4.435	3.742	88.90	93.98	98.04	106.05	112.65	95.05
	C37DKRS	37	3.600	3.800	3.960	4.275	4.535	3.842	91.44	96.52	100.58	108.59	115.19	97.59
	C38DKRS	38	3.700	3.900	4.060	4.375	4.635	3.942	93.98	99.06	103.12	111.13	117.73	100.13
	C39DKRS	39	3.800	4.000	4.160	4.475	4.735	4.042	96.52	101.60	105.66	113.67	120.27	102.67
	C40DKRS	40	3.900	4.100	4.260	4.575	4.835	4.142	99.06	104.14	108.20	116.21	122.81	105.21
	C41DKRS	41	4.000	4.200	4.360	4.675	4.935	4.242	101.60	106.68	110.74	118.75	125.35	107.75
	C42DKRS	42	4.100	4.300 4.400	4.460	4.775	5.035	4.342	104.14	109.22	113.28	121.29	127.89	110.29
	C43DKRS _ C44DKRS	43 44	4.200 4.300	4.400	4.560 4.660	4.875 4.975	5.135 5.235	4.442 4.542	106.68 109.22	111.76 114.30	115.82 118.36	123.83 126.37	130.43 132.97	112.83 115.37
	C44DKRS _ C45DKRS	45	4.400	4.600	4.760	5.075	5.335	4.642	111.76	116.84	120.90	128.91	135.51	117.91
С	C46DKRS	46	4.500	4.700	4.860	5.175	5.435	4.742	114.30	119.38	123.44	131.45	138.05	120.45
	C47DKRS	47	4.600	4.800	4.960	5.275	5.535	4.842	116.84	121.92	125.98	133.99	140.59	122.99
	C48DKRS	48	4.700	4.900	5.060	5.375	5.635	4.942	119.38	124.46	128.52	136.53	143.13	125.53
	C49DKRS	49	4.800	5.000	5.160	5.475	5.735	5.042	121.92	127.00	131.06	139.07	145.67	128.07
	C50DKRS	50	4.900	5.100	5.260	5.575	5.835	5.142	124.46	129.54	133.60	141.61	148.21	130.61
	C51DKRS	51	5.000	5.200	5.360	5.675	5.935	5.242	127.00	132.08	136.14	144.15	150.75	133.15
	C52DKRS	52	5.100	5.300	5.460	5.775	6.035	5.342	129.54	134.62	138.68	146.69	153.29	135.69
	C53DKRS	53	5.200	5.400	5.560	5.875	6.135	5.442	132.08	137.16	141.22	149.23	155.83	138.23
	C54DKRS	54	5.300	5.500	5.660	5.975	6.235	5.542	134.62	139.70	143.76	151.77	158.37	140.77
	C55DKRS	55	5.400	5.600	5.760	6.075	6.335	5.642	137.16	142.24	146.30	154.31	160.91	143.31
	C56DKRS	56	5.500	5.700	5.860	6.175	6.435	5.742	139.70	144.78	148.84	156.85	163.45	145.85
	C57DKRS	57	5.600	5.800	5.960	6.275	6.535	5.842	142.24	147.32	151.38	159.39	165.99	148.39
В	C58DKRS	58	5.700	5.900	6.060	6.375	6.635	5.942	144.78	149.86	153.92	161.93	168.53	150.93
١	C59DKRS	59	5.800	6.000	6.160	6.475	6.735	6.042	147.32	152.40	156.46	164.47	171.07	153.47
	C60DKRS	60	5.900	6.100	6.260	6.575	6.835	6.142	149.86	154.94	159.00	167.01	173.61	156.01
	C61DKRS	61	6.000	6.200	6.360	6.675	6.935	6.242	152.40	157.48	161.54	169.55	176.15	158.55
	C62DKRS	62 63	6.100 6.200	6.300 6.400	6.460 6.560	6.775	7.035 7.135	6.342	154.94	160.02	164.08	172.09	178.69	161.09
	C63DKRS _ C64DKRS	64	6.300	6.500	6.660	6.875 6.975	7.135	6.542	157.48 160.02	162.56 165.10	166.62 169.16	174.63 177.17	181.23 183.77	163.63 166.17
	C65DKRS	65	6.400	6.600	6.760	7.075	7.235	6.642	162.56	167.64	171.70	177.17	186.31	168.71
\dashv	C66DKRS	66	6.500	6.700	6.860	7.073	7.335	6.742	165.10	170.18	174.24	182.25	188.85	171.25
	C67DKRS	67	6.600	6.800	6.960	7.175	7.535	6.842	167.64	172.72	176.78	184.79	191.39	173.79
	C68DKRS	68	6.700	6.900	7.060	7.375	7.635	6.942	170.18	175.26	179.32	187.33	193.93	176.33
	C69DKRS	69	6.800	7.000	7.160	7.475	7.735	7.042	172.72	177.80	181.86	189.87	196.47	178.87
	C70DKRS	70	6.900	7.100	7.260	7.575	7.835	7.142	175.26	180.34	184.40	192.41	199.01	181.41
ا .														
Α														

6

CUSTOMER COPY

RoHS COMPLIANT

UNLESS OTHERWISE SPECIFIED: DRAWN DATE NAME DIMENSIONS ARE IN INCHES [MM] TOLERANCES: ANGULAR: ± 1° DECIMALS .XX=± .02 [.5] .XXX=± .005 [.13] .XXXX=± .0005 [.013]

3

THE INFORMATION HEREIN CONTAINS
PROPIETARY INFORMATION OF
SULLINS ELECTRONICS AND IS NOT
TO BE REPRODUCED, USED OR
DISCLOSED TO OTHERS FOR ANY
PURPOSE EXCEPT AS SPECIFICALLY
AUTHORIZED IN WRITING BY AN
OFFICER OF SULLINS ELECTRONICS.

EDGECARD, .100 CC, .062 & .093 PCB, HP

CAGE CODE | DWG. NO.

54453 C10808 SCALE: 2:1 SHEET 3 OF 3

FILE NAME: C10808, _ _ C _ _ DKR_-\$1191, \$1243

REV E